



SELEX

Communications

A Finmeccanica Company

CELWAVE

RETAIL

PRICE LIST

Valid from 1st January 2010

Tel: 01268 823928 • **Fax:** 01268 823494

Email: marine-sales@selex-comms.com

Version 0110

Terms and conditions

SELEX Communications Ltd reserves the right to alter the specifications and pricing for all products mentioned without notice.

Every effort has been made to ensure that the information within this document is correct. However, we cannot be held liable for any misprints that may occur.

Product descriptions are intended as a guide only, for a complete description please contact us.

All prices:

- Are available subject to our standard terms and conditions,
- In Euros (€),
- Are subject to availability,
- Exclude VAT & carriage, carriage is charged at cost plus 10%
- Ex works Basildon when supplied from SELEX stock. If urgent delivery of non-stock items is required then Ex works Denmark Factory
- Are valid from 1st January 2010 until 31st December 2010, or until an updated version of the price list is issued.

| Part No. | Description | Gain | Frequency | Retail |
|---|--|------|-----------------------|--------|
| VHF ANTENNAS | | | | |
| CElmar0-1 | Stainless Steel whip incl. mast bracket | 0/3 | 156-162.5 | 43.75 |
| CElmar0-10 | CElmar0-11 packed in tube | 0/3 | 156-162.5 | 66.25 |
| CElmar0-11 | Stainless Steel whip incl. mast bracket and 20m cable + PL259 | 0/3 | 156-162.5 | 62.50 |
| CElmarVHF | Fibreglass whip incl. mast bracket | 0/3 | 156-162.5 | 53.75 |
| CElmar1-1 | Light weight omni-directional antenna | 0/3 | 149-162.5 | 52.50 |
| CElmar1-1AIS | Light weight omni-directional antenna | 0/3 | 160-164 | 52.50 |
| CElmar2-1 | Light weight omni-directional antenna incl. 6m cable | 0/3 | 156-162.5 | 50.00 |
| CElmar2-1/ N290F | Light weight omni-directional antenna incl. 6m cable and N290F packed together in plastic bag | 0/3 | 156-162.5 | 57.50 |
| CElmar2-2 | Light weight omni-directional antenna incl. 18m cable | 0/3 | 156-162.5 | 62.50 |
| CElmar2-3 | Light weight omni-directional antenna incl. 10m cable | 0/3 | 156-162.5 | 52.50 |
| CElmar3-1 | Light weight omni-directional antenna incl. 6m cable - 2.7m | 3/6 | 156-162.5 | 80.00 |
| CElmar3-10 | Light weight omni-directional ant. incl. 6m cable - packed in tube | 3/6 | 156-162.5 | 87.50 |
| CElmar3-2 | Light weight omni-directional antenna incl. 18m cable - 2.7m | 3/6 | 156-162.5 | 88.75 |
| CElmar4 | Coaxial dipole, stainless steel ferrule, 18m cable | 0/3 | 146-162.5 | 81.25 |
| CX4 | Coaxial dipole antenna incl. N240F | 0/3 | 146-162.5 | 78.75 |
| CX4-0 | Coaxial dipole antenna | 0/3 | to be specified | 87.50 |
| CX4-1 | Coaxial dipole antenna incl. N240F and with N connector | 0/3 | 146-162.5 | 90.00 |
| CX4-2 | Coaxial dipole antenna incl. mast mount N162F | 0/3 | 146-162.5 | 86.25 |
| CX4-3 | Coaxial dipole antenna excl. N240F | 0/3 | 146-162.5 | 75.00 |
| CX4-4 | Coaxial dipole antenna incl. N275F and with N connector | 0/3 | 146-162.5 | 127.50 |
| CX4-5 | Coaxial dipole antenna incl. N171F mast bracket | 0/3 | 146-162.5 | 110.00 |
| CX4-6 | Coaxial dipole antenna excl. N240F and with N connector | 0/3 | 146-162.5 | 85.00 |
| CX4-8 | Coaxial dipole antenna excl. N240F | 0/3 | 135-150 | 75.00 |
| CX4-9 | Coaxial dipole antenna excl. N240F and with N connector | 0/3 | 118-137 | 88.75 |
| CX4-11 | Coaxial dipole antenna excl. N240F | 0/3 | 154-174 | 76.25 |
| CX4-12 | Coaxial dipole antenna excl. N240F and with N connector | 0/3 | 154-174 | 90.00 |
| CX3 5/8 | Collinear heavy duty antenna incl. N240F | 3/6 | 156-162.5 | 132.50 |
| CX3 5/8-0 | Collinear heavy duty antenna incl. N240F | 3/6 | to be specified | 162.50 |
| CX3 5/8-10 | Collinear heavy duty antenna excl. N240F | 3/6 | 156-162.5 | 128.75 |
| GP2M5/8 | Ground Plane 5/8 wave | 3/6 | 156-162.5 | 212.50 |
| GP2M5/8-2 | Ground Plane 5/8 wave incl. cutting chart | 3/6 | 146-174 | 217.50 |
| GP60-512 | Ground Plane incl. Cutting chart | 0/3 | 60-512 | 172.50 |
| PD4-5 | Light weight omni-directional antenna incl. 6m cable - 2.9m | 3/6 | 156-162.5 | 91.25 |
| PD55-5 | 2-section omni-directional - 18ft | 5/10 | 156-162.5 | 306.25 |
| PD66-6 | 2-section omni-directional - 23ft | 5/10 | 156-162.5 | 343.75 |
| DUAL/FOUR BAND CELLULAR GSM/DCS AND AMPS/PCS | | | | |
| CELdual | Omnidirectional incl. N240F | 0/3 | 890-960/ 1710-1880 | 90.00 |
| CELdual-2 | Omnidirectional incl. N240F | 0/3 | 825-890/ 1850-1990 | 90.00 |
| CELfour | 4-band Ground Plane | 0/3 | 828-960/ 1710-1990 | 106.25 |
| GSM/UMTS | Omnidirectional dualband incl. N240F | 0/3 | 890-960/ 1920-2170 | 90.00 |
| CELLULAR ANTENNAS GSM | | | | |
| CEL1B | Omnidirectional incl. N240F | 0/3 | 872-960 | 81.25 |
| CEL3B | Omnidirectional incl. N240F | 3/6 | 872-960 | 92.50 |
| CEL3B-2 | Omnidirectional excl. N240F | 3/6 | 872-960 | 88.75 |
| CEL3B-8 | Omnidirectional 2.4m (8ft) excl. N240F | 3/6 | 872-960 | 81.25 |
| CEL5B | Omnidirectional incl. N240F | 5/10 | 890-960 | 117.50 |
| CELseaGSM1 | Omnidirectional incl. 6m cable | 0/3 | 890-960 | 78.75 |
| CELseaGSM3 | Omnidirectional incl. 6m cable | 3/6 | 890-960 | 93.75 |
| WI-FI CELLULAR 2.4GHZ/UMTS | | | | |
| CEL24 | Omnidirectional incl. N240F | 6/12 | 2310-2485 | 167.50 |
| CEL21 | Omnidirectional incl. N240F | 6/12 | 1920-2170 | 102.50 |

| Part No. | Description | Gain | Frequency | Retail |
|-------------------------------|---|---------|-------------------|--------|
| CELLULAR ANTENNAS AMPS | | | | |
| CELsea1 | Omnidirectional incl. 6m cable | 0/3 | 825-890 | 62.50 |
| CELsea1A | Omnidirectional incl. 6m cable | 0/3 | 806-866 | 71.25 |
| CELsea3 | Omnidirectional incl. 6m cable | 3/6 | 825-890 | 112.50 |
| CELsea3A | Omnidirectional incl. 6m cable | 3/6 | 806-866 | 112.50 |
| CELsea3S | Omnidirectional incl. 6m cable | 3/6 | 825-890 | 96.25 |
| CELsea6 | Omnidirectional excl. N240F | 0/3 | 825-890 | 65.00 |
| CELsea6A | Omnidirectional excl. N240F | 0/3 | 806-866 | 65.00 |
| CELsea9 | Omnidirectional excl. N240F | 3/6 | 825-890 | 97.50 |
| CELsea9A | Omnidirectional excl. N240F | 3/6 | 806-866 | 97.50 |
| CELsea9S | Omnidirectional excl. N240F | 3/6 | 825-890 | 88.75 |
| CEL5 | Omnidirectional excl. N240F | 5/10 | 825-890 | 116.25 |
| GPS | | | | |
| GPS | GPS | 26dBd | 1575 | 55.00 |
| VHF/GPS | | | | |
| VHF/GPS | Combi antenna,VHF/GPS incl.filter/cable set FME/UHF + FME/N | 0/18dBd | 156-162.5/1575,42 | 368.75 |
| VHF/GPS-2 | Combi antenna,VHF/GPS incl.Filter/cable set FME/TNC + FME/BNC | 0/18dBd | 156-162.5/1575,42 | 368.75 |
| VHF/CELLULAR ANTENNAS | | | | |
| CELTwin | Combi antenna, VHF/Cellular incl. filter | 0/3 | 156-162.5/890-960 | 175.00 |
| CELTwin1 | Combi antenna, VHF/Cellular incl. filter and mast bracket | 0/3 | 156-162.5/890-960 | 182.50 |
| CELTwin1-3 | Combi antenna, VHF/Cellular incl. filter and N240F | 0/3 | 156-162.5/890-960 | 182.50 |
| CELTwin2 | Combi antenna, VHF/Cellular incl. filter and 6m cable | 0/3 | 156-162.5/825-890 | 187.50 |
| CELLULAR DCS/PCS | | | | |
| DCS1 | Omnidirectional incl. N240F | 0/3 | 1710-1880 | 66.25 |
| DCS3 | Omnidirectional incl. N240F | 3/6 | 1710-1880 | 86.25 |
| DCS5 | Omnidirectional incl. N240F | 5/10 | 1710-1880 | 102.50 |
| PCS3 | Omnidirectional incl. N240F | 3/6 | 1850-1990 | 86.25 |
| PCS5 | Omnidirectional incl. N240F | 5/10 | 1850-1990 | 102.50 |
| GROUND PLANE 60-512MHZ | | | | |
| GP60-512 | Ground Plane - Bamdwidth 4% of Fo | 0/3 | 60-512 | 162.50 |
| UHF ANTENNAS | | | | |
| CXU1 | Omnidirectional incl. N240F | 0/3 | 450-470 | 90.00 |
| CXU1-0 | Omnidirectional excl. N240F - Frequency to be specified* | 0/3 | 380-470* | 93.75 |
| CXU1-2 | Omnidirectional excl. N240F | 0/3 | 450-470 | 86.25 |
| CXU1-5 | Omnidirectional incl. N240F | 0/3 | 380-400 | 96.25 |
| CXU1-8 | Omnidirectional excl. N240F | 0-3 | 430-470 | 93.75 |
| CXU3 | Omnidirectional incl. N240F | 3/6 | 450-470 | 123.75 |
| CXU3-0 | Omnidirectional excl. N240F - Frequency to be specified* | 3/6 | 380-470* | 128.75 |
| CXU3-1 | Omnidirectional incl.. N240F | 3/6 | 430-450 | 123.75 |
| CXU3-2 | Omnidirectional excl. N240F | 3/6 | 410-430 | 123.75 |
| CXU3-4 | Omnidirectional excl. N240F | 3/6 | 450-470 | 120.00 |
| CXU3-5 | Omnidirectional incl. N240F | 3/6 | 380-400 | 130.00 |
| CXU3-7 | Omnidirectional excl. N240F | 3/6 | 330-365 | 145.00 |
| CXU3-10 | Omnidirectional excl. N240F | 3/6 | 440-460 | 128.75 |
| CXU4 | Omnidirectional incl. N240F | 5/10 | 440-470 | 231.25 |
| CXU4-1 | Omnidirectional incl. N240F | 5/10 | 420-450 | 236.25 |
| CXU4-2 | Omnidirectional incl. N240F | 5/10 | 400-430 | 236.25 |
| CXU4-3 | Omnidirectional incl. N240F | 5/10 | 380-405 | 236.25 |
| AM/FM ANTENNAS | | | | |
| FAME1 | Omnidirectional incl. N240F | 0/3 | 0.15-30/88-108 | 73.75 |
| FAME2 | Omnidirectional Stainless steel ferrule, 18m cable | 0/3 | 0.15-30/88-108 | 83.75 |
| FAME3 | Omnidirectional incl. N240F | 3/6 | 0.15-30/88-108 | 95.00 |
| FAME4 | Omnidirectional Stainless steel ferrule, 18m cable | 3/6 | 0.15-30/88-108 | 112.50 |

| Part No. | Description | Gain | Frequency | Retail |
|---------------------------|--|-------|-----------------|----------|
| RECEIVING ANTENNAS | | | | |
| NAVTEX3 | heavy duty active rod antenna - 3 frequencies | | 490/518KHz/490M | 275.00 |
| LORAN | Loran/DGPS whip 2m fibreglass | | | 33.75 |
| DGPS-2 | Loran/DGPS whip 1.2m fibreglass | | | 26.25 |
| DGPS-4 | Loran/DGPS whip 1.2m stainless steel | | | 18.75 |
| DGPS-6 | Loran/DGPS whip 0.6m stainless steel | | | 16.25 |
| CB ANTENNAS | | | | |
| CB6 | Light weight omni-directional antenna incl. 6m cable - 2.7m | 3/6 | 26.8-28 | 86.25 |
| TV ANTENNAS | | | | |
| UFO | Omnidirectional incl. mounting hardware and splitter box | 28dBd | 45-860 | 100.00 |
| UFO-DIGITAL | Omni digital incl. Mouting and power supply | 16dBd | 470-862 | 100.00 |
| PRO-TV | Omnidirectional incl. mounting hardware | 22dBd | 40-860 | 243.75 |
| BROADBAND ANTENNA | | | | |
| BB1 | | | 100KHz-30MHz | 312.50 |
| HF/SSB ANTENNAS | | | | |
| KUM480 | 500W antenna for mast mounting | | 01.4-30 | 190.00 |
| KUM480-1 | 500W antenna for mast mounting incl. connection box | | 01.4-30 | 230.00 |
| KUM480-2 | 500W antenna for mast mounting incl. transformer connection box | | 01.4-30 | 246.25 |
| KUM481 | 500W antenna for deck mounting | | 01.4-30 | 212.50 |
| KUM600 | 750W antenna for mast mounting | | 01.4-30 | 211.25 |
| KUM600-1 | 750W antenna for mast mounting incl. connection box | | 01.4-30 | 251.25 |
| KUM600-2 | 750W antenna for mast mounting incl. transformer connection box | | 01.4-30 | 267.50 |
| KUM601 | 750W antenna for deck mounting | | 01.4-30 | 228.75 |
| KUM603 | 3-section 750W antenna for mast mounting | | 01.4-30 | 247.50 |
| KUM603-1 | 3-section 750W antenna for mast mounting incl. connection box | | 01.4-30 | 287.50 |
| KUM603-2 | 3-section 750W antenna for mast mounting incl. connection transformer box | | 01.4-30 | 303.75 |
| KUM700 | 1000W antenna for mast mounting | | 01.4-30 | 248.75 |
| KUM700-1 | 1000W antenna for mast mounting incl. connection box | | 01.4-30 | 288.75 |
| KUM700-2 | 1000W antenna for mast mounting incl. connection transformer box | | 01.4-30 | 305.00 |
| KUM701 | 1000W antenna for deck mounting | | 01.4-30 | 272.50 |
| KUM703 | 3-section 1000W antenna for mast mounting | | 01.4-30 | 268.75 |
| KUM703-1 | 3-section 1000W antenna for mast mounting incl. connection box | | 01.4-30 | 308.75 |
| KUM703-2 | 3-section 1000W antenna for mast mounting incl. connection transformer box | | 01.4-30 | 325.00 |
| KUM731 | 3-section 1000W antenna for deck mounting | | 01.4-30 | 283.75 |
| KUM761 | 1000W antenna for deck mounting-4-way - Extra strong (thicker fibreglass) | | 01.4-30 | 300.00 |
| KUM761DM | 1000W antenna for deck mounting- DM - Extra strong (thicker fibreglass) | | 01.4-30 | 693.75 |
| KUM803 | 3-section 1200W antenna for mast mounting | | 01.4-30 | 437.50 |
| KUM803DM | 3-section 1200W antenna for deck mounting | | 01.4-30 | 837.50 |
| KUM803-1 | 3-section 1200W antenna for mast mounting incl. connection box | | 01.4-30 | 477.50 |
| KUM803-1DM | 3-section 1200W antenna for deck mounting incl. connection box | | 01.4-30 | 877.50 |
| KUM803-2 | 3-section 1200W antenna for mast mounting incl. connection transformer box | | 01.4-30 | 493.75 |
| KUM803-2DM | 3-section 1200W antenna for deck mounting incl. connection transformer box | | 01.4-30 | 893.75 |
| KUM850 | 1200W antenna for mast mounting | | 01.4-30 | 431.25 |
| KUM850DM | 1200W antenna for deck mounting | | 01.4-30 | 837.50 |
| KUM850-1 | 1200W antenna for mast mounting incl. connection box | | 01.4-30 | 471.25 |
| KUM850-1DM | 1200W antenna for deck mounting incl. connection box | | 01.4-30 | 877.50 |
| KUM850-2 | 1200W antenna for mast mounting incl. connection transformer box | | 01.4-30 | 487.50 |
| KUM850-2DM | 1200W antenna for deck mounting incl. connection transformer box | | 01.4-30 | 893.75 |
| KUM903 | 3-section 1200W antenna for mast mounting | | 01.4-30 | 472.50 |
| KUM903DM | 3-section 1200W antenna for deck mounting | | 01.4-30 | 878.75 |
| KUM903-1 | 3-section 1200W antenna for mast mounting incl. connection box | | 01.4-30 | 512.50 |
| KUM903-1DM | 3-section 1200W antenna for deck mounting incl. connection box | | 01.4-30 | 918.75 |
| KUM903-2 | 3-section 1200W antenna for mast mounting incl. connection transformer box | | 01.4-30 | 528.75 |
| KUM903-2DM | 3-section 1200W antenna for deck mounting incl. connection transformer box | | 01.4-30 | 935.00 |
| KUM904 | 4-section 1200W antenna for mast mouting | | 01.4-30 | 718.75 |
| KUM950 | 1200W antenna for mast mounting | | 01.4-30 | 457.50 |
| KUM950DM | 1200W antenna for deck mounting | | 01.4-30 | 863.75 |
| KUM950-1 | 1200W antenna for mast mounting incl. connection box | | 01.4-30 | 497.50 |
| KUM950-1DM | 1200W antenna for deck mounting incl. connection box | | 01.4-30 | 903.75 |
| KUM950-2 | 1200W antenna for mast mounting incl. connection transformer box | | 01.4-30 | 513.75 |
| KUM950-2DM | 1200W antenna for deck mounting incl. connection transformer box | | 01.4-30 | 920.00 |
| KUM1200 | 2000W antenna for deck mounting | | 01.4-30 | 1,675.00 |

| Part No. | Description | Gain | Frequency | Retail |
|------------------------------------|--|------|-----------|--------|
| CABLE AND CABLE SETS | | | | |
| N280-02F | Cable 6m RG58C/U and 1 pc. PL259/UHF connector | | | 10.63 |
| R002F | RG58C/U cable white/M | | | 1.00 |
| R003F | RG58C/U cable black/M | | | 1.00 |
| R015F | 10m RG58C/U with FME on both sides | | | 15.00 |
| R040F | 18m RG58C/U with UHF and FME and UHF/FME adaptor | | | 25.00 |
| R050F | 8m RG58C/U with UHF and FME and UHF/FME adaptor | | | 17.50 |
| R070F | 1m RG58C/U with FME (F) and TNC (M) | | | 7.50 |
| R080F | 1m RG58C/U with FME (F) and N (M) | | | 8.75 |
| R200F | 10m RG58C/U with FME (F) connector and BNC (for use with GPS) | | | 17.50 |
| R220F | 0.5m RG58C/U with FME(F) connector and TNC (for use with GPS) | | | 6.25 |
| R225F | 10m RG58C/U with FME (F) connector and TNC (for use with GPS) | | | 21.25 |
| R500F | 7m RG58C/U with FME (F) connector and TNC (for use with GPS) | | | 16.25 |
| RG213 | RG213 Cable/M | | | 4.38 |
| T281-01F | 20m cable RG58U and 1 pc. PL259/UHFconnector | | | 23.75 |
| CONNECTORS | | | | |
| BNC | BNC connector male for RG58C/U cable | | | 1.56 |
| BNC/FME | Adaptor BNC/FME connector | | | 2.50 |
| K007F | PL259(UHF) connector,for RG58C/U and RG213 cable | | | 3.13 |
| K008F | UHF (PL259) crimp connector for RG213 | | | 2.19 |
| K009F | UHF (PL259) crimp connector for RG58 | | | 2.06 |
| K015F | N male connector for RG58C/U | | | 4.38 |
| N | N male connector for RG213 | | | 3.75 |
| N/FME | Adaptor N/FME connector | | | 4.06 |
| TNC | TNC connector crimp for RG58 | | | 1.56 |
| TNC/FME | Adaptor TNC/FME | | | 2.50 |
| FME | FME female connector for RG58C/U cable (for use with GPS) | | | 1.25 |
| FME/RG213 | FME female connector for RG213/RG214 cable (for use with GPS) | | | 5.00 |
| UHF/FME | Adaptor UHF/FME connector | | | 3.75 |
| ACCESSORIES FOR TV ANTENNAS | | | | |
| K250F | Spare mount for UFO | | | 8.13 |
| N260F | Battery filter for PRO-TV | | | 27.50 |
| N262F | Splitter for UFO | | | 18.75 |
| N263F | Low noise amplifier for PRO-TV | | | 107.50 |
| N265F | Power supply for UFO and PRO-TV | | | 41.25 |
| N266F | FM filter for PRO-TV | | | 20.00 |
| N271F | Spare mount for PRO-TV | | | 32.50 |
| N320F | Center Mount for UFO | | | 27.50 |
| R100F | 12m cable set for UFO without connectors | | | 11.25 |
| R101F | 15m cable set for UFO without connectors | | | 11.25 |
| MOUNTS AND ACCESSORIES | | | | |
| E128-01F | Top whip for GP2M5/8, not cut to frequency | | | 33.75 |
| E140-01F | Radial for GP2M 5/8 | | | 13.75 |
| E142-01F | Top whip for GP2M5/8, cut to 156-162.5 MHz | | | 30.00 |
| E179F | Deck mounting flange | | | 33.75 |
| H001F | Cable feed-through for RG 213 | | | 5.00 |
| H010F | Cable feed-through for RG58 | | | 5.63 |
| H012F | Cable feed-through for RG58 and RG213 cable in PVC | | | 3.75 |
| H022F | Delrin insulator, large,without shackles | | | 16.25 |
| H023F | Delrin insulator, small without shackles | | | 8.75 |
| H030F | Stand off for MF and HF | | | 22.50 |
| H040F | Feed- through | | | 31.25 |
| K483F | Connection box for KUM480, KUM600, KUM 603 and KUM 700 | | | 50.00 |
| K487F | Connection box for KUM803, KUM850,KUM903 and KUM950 | | | 50.00 |
| K493F | Connection transformer box for KUM480, KUM600,KUM603 and KUM 700 | | | 66.25 |
| K537F | Connection transformer box for KUM803, KUM850, KUM903 and KUM950 | | | 66.25 |
| K643F | CELTwin filter(spare part) | | | 68.75 |
| N070F | Clamp for side mast mounting KUM480, KUM600, KUM603, and KUM 700, 30-50mm | | | 25.00 |
| N075F | Stainless steel clamp for side mast mounting, KUM480/KUM600/KUM603/KUM700, 30-50mm | | | 68.75 |
| N080F | Clamp for side mast mounting KUM480, KUM600, KUM603, and KUM 700, 50-80mm | | | 30.00 |
| N085F | Stainless steel clamp for side mast mounting, KUM480/KUM600/KUM603/KUM700,50-80mm | | | 66.25 |
| N090F | Clamp for side mast mounting KUM480, KUM600, KUM603, and KUM 700, 80-100mm | | | 25.00 |

| Part No. | Description | Gain | Frequency | Retail |
|----------|--|------|-----------|--------|
| N100F | Clamp for welding KUM803, KUM850, KUM903 and KUM950 | | | 30.00 |
| N105F | Stainless steel clamp for welding, KUM803, KUM850, KUM903 and KUM950 | | | 50.00 |
| N110F | Clamp for side mast mounting KUM803, KUM850, KUM903 and KUM950 | | | 32.50 |
| N115F | Stainless steel clamp for side mast mounting, KUM803, KUM850, KUM903 and KUM950 | | | 81.25 |
| N159F | Installation set for N170F | | | 10.00 |
| N162F | Mast mount for all types AC Marine antennas, incl. nut and washer | | | 11.25 |
| N163F | Mast mount for all types AC Marine antennas, excl. nut and washer | | | 6.25 |
| N164F | Mast mount for 1"-14 fitting | | | 11.25 |
| N170F | Adaptor mount SS to fit standard comrod mast mounts, excl. installation set/incl.nut and washer | | | 25.00 |
| N171F | Adaptor mount Stainless Steel to fit standard comrod mast mounts, incl. installation set, nut and washer | | | 35.00 |
| N200F | Upper support 1", 1 1/4" and 1 1/2" | | | 10.00 |
| N210F | Rail mount for GPS 22-30cm | | | 7.50 |
| N215F | Stainless Steel Mast mount | | | 58.75 |
| N220F | Mast mount 1"-14 thread | | | 35.00 |
| N225F | Adaptor for GPS | | | 7.50 |
| N240F | 1 inch pipe thread mount | | | 11.25 |
| N243F | Rubber cover | | | 1.68 |
| N245F | Clamp for side mounting - stainless steel | | | 15.00 |
| N249F | Rail mount for GPS 1"-14 thread, PVC | | | 7.50 |
| N250F | 1" or 7/8 rail mount, nylon, with handle | | | 31.25 |
| N251F | 1" or 7/8 rail mount, nylon, with allen key | | | 28.75 |
| N253F | Rail mount with knob | | | 8.75 |
| N254F | Rail mount with handle | | | 8.75 |
| N255F | Deckmount for GPS antenna 1"-14 thread, PVC | | | 2.50 |
| N267F | Power supply for NAVTEX and BB1 | | | 250.00 |
| N270F | Heavy weight mast/wall mount | | | 82.50 |
| N275F | Universal mast mount up to 58mm Ø | | | 42.50 |
| N276F | 30cm extension mast in aluminium, chrome ferrule | | | 18.75 |
| N280F | Adaptor for 4-way ratchet mount or extension mast with 6 m cable RG58U and 1 pc. PL259/UHF conn. | | | 36.25 |
| N280-01F | Adaptor for 4-way ratchet mount or extension mast without cable and inside 1"-14 threading | | | 16.25 |
| N280-03F | Adaptor for 4-way ratchet mount or extension mast without cable and outside threading | | | 27.50 |
| N281F | Adaptor for 4-way ratchet mount or ext. masts, with 6m cable RG58C/U and N connector | | | 32.50 |
| N282F | Adaptor for 4-way ratchet mount in PVC, without cable | | | 7.50 |
| N285F | 4-way ratchet mount chromed brass | | | 38.75 |
| N286F | 4-way ratchet mount stainless steel - heavy duty | | | 36.25 |
| N288F | Stainless steel deckmount 1"-14 thread for GPS | | | 15.00 |
| N290F | 4-way ratchet mount PVC | | | 6.25 |
| N295-01F | Washer for 1"-14 antennas | | | 0.63 |
| N295-02F | Nut for 1"-14 antennas, f.ex CX4, CX3 5/8, CEL3B, etc | | | 5.00 |
| PD32-5 | Fiberglass 3.0m, extension mast 25mmØ | | | 50.00 |
| | | | | |



SELEX Communications Ltd
Marine Division
Lambda House
Christopher Martin Road
Basildon
Essex SS14 3EL

Tel: 01268 823928

Fax: 01268 823494

Email: marine-sales@selex-comms.com

Web: www.selexmarine.com